

REDEFINING THE FUTURE OF Water Systems





About Welspun

Welspun has successfully made its mark and more across businesses like home textiles, advanced textiles, flooring solutions, retail, infrastructure, warehousing, line pipes, DI Pipes, stainless steel & alloy, pig iron, TMT rebars and more.



Presence in more than **50 countries**



30,000 Plus employees across global locations



\$5 billion USD turnover



Over 100,000 shareholders

#2 second large diameter producers in World



20+ Manufacturing Facilities in **India, USA, KSA** and present in **50+ countries**



VISION

Delight our customers through innovation and technology, achieve inclusive and sustainable growth to remain eminent in all our businesses.



MISSION

- The top 2 value creators in each of our businesses
- The top 10 most respected Indian brands
- The top 50 Groups in India in terms of market value

About **Sintex**

As the pioneers in water storage solutions, Sintex believes in thinking innovatively and making life simpler for you. Our comprehensive range of products have been designed to do just that, with your needs in mind.

Crafted from 100% virgin and food grade materials, our tanks are built to last and maintain the highest standards of hygiene and technology that keeps India's water **Saaf, Safe and Sahi**.
Know more about our range of water storage solutions.



Iconic Water Storage Tank
Brand of India since **50 years**



200 litres to 16 lakh litres
of tank capacity for Retail & Commercial usage.



Category creators & leaders
with top class
Quality & Innovation.



Sintex is now a part of
Welspun World, **a \$5 billion**
Indian conglomerate.



Sintex's Trust now into
Pipes & Fittings.

Turn the page to Know more about
The Complete Range of Water system



PIPED WATER



66% of rural households in India now have access to piped water, **a significant increase from 17% in 2019**

CONTAMINATED WATER

70% of India's water resources **are contaminated**. This contaminated water continues to be transported through the same pipes.

WATERBORNE DISEASES



Approximately **1.5 million** children in India under the age of five die every year due to **waterborne diseases**.

INCREASE IN URBAN FLOODING

According to the Intergovernmental Panel on Climate Change (IPCC), heavy rainfall events have increased by **7% globally**, and in many parts of India, cities like **Delhi, Chennai, and Bengaluru** are seeing more intense monsoon rains, which overwhelm drainage systems and lead to **urban flooding**.

**REDEFINES THE FUTURE OF WATER SYSTEMS BY
INTRODUCING NEXT-GENERATION WATER SYSTEM WITH**



Index



SINTEX
Hotx
CPVC PLUS



SINTEX
Groundx
FOAM CORE



SINTEX
Coolx
UPVC PLUS



SINTEX
Drainx
HDPE



SINTEX
SWRx
UPVC



SINTEX
Hotx PRO
MLCP



SINTEX
Agrix
UPVC



SINTEX
Ultrax
OPVC



SINTEX
Reclaimx
UPVC



SINTEX
Infralex
HDPE

Sintex

HotX

Hot and Cold Water System

CPVC PLUS

Introducing **Sintex HotX CPVC Plus** Pipes & Fittings with **Antimicrobial Technology**

At Sintex, we're not just selling pipes, we're redefining the next generation of water system—it's about the safety and health of your family and loved ones.

That's why our CPVC pipes come with built-in antimicrobial properties ,
When you choose Sintex HotX CPVC Plus pipes, you're not just getting superior pipes—you're choosing peace of mind, knowing that your plumbing is actively working to protect your health.



**ANTI
MICROBIAL***

*T&C apply



Why Are We **NXT** Gen Choice?



ANTIMICROBIAL PROPERTIES

Sintex Hot X CPVC Plus introduces next-generation pipes equipped with built-in antimicrobial properties. This ground-breaking feature actively prevents the growth of harmful bacteria, mould, and fungi growth, .



HIGHEST QUALITY OF BRASS FITTINGS

- 5 Knurling tracks on brass to ensure tight gripping of brass & plastic
- Wider knurling tracks that give it the capability of bearing upto 130 Nm Torque



EASY INSTALLATION

CPVC uses a simple solvent cement jointing process, requiring minimal tools, which lowers installation costs compared to copper or GI pipes.



CHLORINE RESISTANCE

Sintex HotX CPVC Plus piping is unaffected by chlorine in potable water, preventing degradation or leaks.



LONG LASTING

Resistant to corrosion, physical damage, and extreme weather, ensuring long-lasting performance.



LOW THERMAL EXPANSION

Sintex HotX CPVC Plus has a low thermal expansion coefficient, reducing pipe "snaking" & convenient during hot water use.



THERMAL INSULATION

Maintains water temperature and ensures efficient performance, especially in hot climates.



CHEMICAL RESISTANCE

Resistant to corrosion, physical damage, and extreme weather, ensuring long-lasting performance.



UV PROTECTION

UV-stabilized for outdoor use, preventing degradation from sunlight.

Sintex

HotX

Hot and Cold Water System**CPVC PLUS****Explore Our****NXT Gen****Pipes & Fittings**

Where Can You Use Sintex HotX CPVC Plus Pipes?



Residential Plumbing Systems

Hot water supply lines in homes and apartments.



Commercial Plumbing Systems

Hot and cold water systems in commercial establishments like hotels, hospitals, schools, and offices.



Industrial Applications

Water distribution systems in industrial plants, including those for heating systems, cooling systems, and chemical transfer.

Sintex HotX CPVC Plus Products Range

Type	Sub - Type	Pipe Color	Pipe Color	Stripe Color	Size	Length
CTS (Copper Tube Size)	SDR11	Pipes	Off-White (Ivory)	Red	3/4" - 2"	3 M, 5 M
		Fittings	Off-White (Ivory)			
	SDR13.5	Pipes	Off-White (Ivory)	Brown	3/4" - 1 1/2"	3 M, 5 M

Solvent Cement SKUs

Product Type	Packaging Type	SKUs
CPVC	Co-Ex Bottle	50 ML, 100 ML, 250 ML, 500 ML, 1L
	Tube	20 ML, 50 ML

- CPVC Concealed Valve Round & Triangle Neck QT - 1/2" - 3/4"
- Wall Mixer Adaptor 1"X1/2" & 3/4"X1/2"

Certified by**IS:17546**

NSF/ANSI/CAN 61



Sintex

HotX

Hot and Cold Water System
CPVC PLUS



DID YOU KNOW?



CPVC pipes get their "C" from a special chlorination process that transforms regular PVC into a super-strong material, perfect for handling hot water systems!



In fact, CPVC can handle water temperatures up to 200°F (93°C)—ideal for Indian homes with geysers and solar water heaters.



**SDR 11
3 METRE LENGTH**
HSN: 39172390

OD Size (mm)	OD Size (inch)	Material Code	Pkg. (std.)	Price ₹ (per pc)
2	3/8"	CPP11003020	TBD	438.00
2.5	1"	CPP11003025	TBD	677.00
3.2	1 1/8"	CPP11003032	TBD	1159.00
4	1 1/2"	CPP11003040	TBD	1591.00
5	2"	CPP11003050	TBD	2759.00



**SDR 13.5
3 METRE LENGTH**
HSN: 39172390

OD Size (mm)	OD Size (inch)	Material Code	Pkg. (std.)	Price ₹ (per pc)
2	3/8"	CPP13003020	TBD	413.00
2.5	1"	CPP13003025	TBD	602.00
3.2	1 1/8"	CPP13003032	TBD	989.00
4	1 1/2"	CPP13003040	TBD	1367.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard

Sintex

HotX

Hot and Cold Water System

CPVC PLUS



ELBOW 90°

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	CPF11EL90000020	20	100	26.00
2.5	1"	CPF11EL90000025	10	120	50.00
3.2	1 1/4"	CPF11EL90000032	10	30	114.00
4	1 1/2"	CPF11EL90000040	10	50	221.00
5	2"	CPF11EL90000050	12	16	439.00



ELBOW 45°

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	CPF11EL45000020	20	120	38.00
2.5	1"	CPF11EL45000025	10	140	67.00
3.2	1 1/4"	CPF11EL45000032	10	30	141.00
4	1 1/2"	CPF11EL45000040	10	50	225.00



REDUCER ELBOW 90°

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x2	1"x3/4"	CPF11REL9002520	12	60	100.00



TEE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	CPF11T000000020	10	60	42.00
2.5	1"	CPF11T000000025	10	70	64.00
3.2	1 1/4"	CPF11T000000032	10	100	146.00
4	1 1/2"	CPF11T000000040	10	60	265.00
5	2"	CPF11T000000050	10	20	553.00



REDUCER TEE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x2.5x2	1"x1"x3/4"	CPF11RT00252520	10	100	118.00
2x2x5	3/4"x3/4"x5/8"	CPF11RT00202050	10	60	70.00
3.2x3.2x2.5	1 1/4"x1 1/4"x1"	CPF11RT00323225	10	100	210.00
4x4x2	1 1/2"x1 1/2"x3/4"	CPF11RT00404020	10	50	321.00
4x4x2.5	1 1/2"x1 1/2"x1"	CPF11RT00404025	10	60	303.00
4x4x3.2	1 1/2"x1 1/2"x1 1/4"	CPF11RT00404032	10	60	301.00
5x5x2	2"x2"x3/4"	CPF11RT00505020	6	36	622.00
5x5x2.5	2"x2"x1"	CPF11RT00505025	10	20	611.00
5x5x3.2	2"x2"x1 1/4"	CPF11RT00505032	10	20	622.00



COUPLER

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	CPF11CU000000020	16	160	22.00
2.5	1"	CPF11CU000000025	10	100	36.00
3.2	1 1/4"	CPF11CU000000032	10	110	74.00
4	1 1/2"	CPF11CU000000040	10	90	135.00
5	2"	CPF11CU000000050	10	50	278.00



REDUCER COUPLER

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x1.5	1"x3/4"	CPF11RCU0002515	10	100	48.00
2.5x2	1"x3/4"	CPF11RCU0002520	10	100	51.00
2x1.5	3/4"x3/4"	CPF11RCU0002015	16	160	32.00
3.2x1.5	1 1/4"x3/4"	CPF11RCU0003215	10	110	99.00
3.2x2.5	1 1/4"x1"	CPF11RCU0003225	10	110	105.00
4x2.5	1 1/2"x1"	CPF11RCU0004025	10	90	156.00
4x3.2	1 1/2"x1 1/4"	CPF11RCU0004032	10	200	153.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard



END CAP
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	CPF11EC00000020	50	500	20.00
2.5	1"	CPF11EC00000025	12	98	32.00
3.2	1¼"	CPF11EC00000032	10	80	65.00
4	1½"	CPF11EC00000040	10	60	96.00



**THREADED
END PLUG**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	½"	CPF11TEP00000015	25	400	15.00
2	¾"	CPF11TEP00000020	25	125	20.00



REDUCER BUSHING
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x2	1"x¾"	CPF11RBU00002520	16	256	32.00
3.2x2	1¼"x¾"	CPF11RBU00003220	10	110	52.00
3.2x2.5	1¼"x1"	CPF11RBU00003225	10	110	49.00
4x2	1½"x¾"	CPF11RBU00004020	10	90	86.00
4x2.5	1½"x1"	CPF11RBU00004025	10	90	81.00
4x3.2	1½"x1¼"	CPF11RBU00004032	10	90	57.00
5x2.5	2"x1"	CPF11RBU00005025	10	60	163.00
5x3.2	2"x1¼"	CPF11RBU00005032	10	60	176.00
5x4	2"x1½"	CPF11RBU00005040	10	60	148.00



FAPT
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	CPF11FAPT000020	16	144	41.00
2.5	1"	CPF11FAPT000025	10	220	61.00
3.2	1¼"	CPF11FAPT000032	10	60	164.00
4	1½"	CPF11FAPT000040	10	50	210.00



MAPT
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	CPF11MAPT000020	16	192	32.00
2.5	1"	CPF11MAPT000025	12	96	47.00
3.2	1¼"	CPF11MAPT000032	10	80	84.00
4	1½"	CPF11MAPT000040	10	220	119.00



BALL VALVE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	½"	CPF11BV000000015	1	120	140.00
2	¾"	CPF11BV000000020	1	72	222.00
2.5	1"	CPF11BV000000025	1	48	414.00
3.2	1¼"	CPF11BV000000032	1	24	663.00
4	1½"	CPF11BV000000040	1	19	1183.00
5	2"	CPF11BV000000050	1	12	2177.00



NRV W / UNION
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	CPF00NRVU0000020	1	TBD	423.00
2.5	1"	CPF00NRVU0000025	1	TBD	735.00
3.2	1¼"	CPF00NRVU0000032	1	TBD	1334.00



UNION
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	CPF11UN000000020	16	240	127.00
2.5	1"	CPF11UN000000025	10	180	151.00
3.2	1¼"	CPF11UN000000032	10	30	247.00
4	1½"	CPF11UN000000040	10	70	406.00
5	2"	CPF11UN000000050	8	24	733.00



TANK NIPPLE (SOCKET)
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	CPF11TNS00000020	16	240	78.00
2.5	1"	CPF11TNS00000025	10	200	120.00
4	1½"	CPF11TNS00000040	10	70	273.00



TANK NIPPLE (THREADED)
HSN: 123456789

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	CPF11TNT00000020	16	240	89.00
2.5	1"	CPF11TNT00000025	10	200	138.00
3.2	1¼"	CPF11TNT00000032	10	80	218.00
4	1½"	CPF11TNT00000040	10	220	317.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard



STEP OVER BEND
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	CPF11S0B0000020	16	TBD	120.00
2.5	1"	CPF11S0B0000025	10	150	217.00
3.2	1¼"	CPF11S0B0000032	5	75	300.00



FABT HEX
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	CPF11FABH0000020	50	500	279.00
2.5	1"	CPF11FABH0000025	10	200	462.00
3.2	1¼"	CPF11FABH0000032	10	60	973.00
4	1½"	CPF11FABH0000040	10	50	1083.00
5	2"	CPF11FABH0000050	10	50	1936.00



**SWEEP BEND
BOTH SIDE SOC**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	CPF11SBBSS00020	2	24	75.00
2.5	1"	CPF11SBBSS00025	10	120	120.00
3.2	1¼"	CPF11SBBSS00032	2	18	219.00
4	1½"	CPF11SBBSS00040	2	20	416.00
5	2"	CPF11SBBSS00050	2	24	534.00



REDUCER FABT
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x1.5	1"x¾"	CPF11RFAB002515	10	220	154.00
2.5x2	1"x¾"	CPF11RFAB002520	10	200	167.00
2x1.5	¾"x½"	CPF11RFAB002015	10	144	117.00



BRASS ELBOW 90°
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5x1.5	½"x½"	CPF11BEL9001515	16	160	94.00
2x2	¾"x¾"	CPF11BEL9002020	20	100	144.00



MABT HEX
HSN: 123456789

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	CPF11MABH0000020	16	240	275.00
2.5	1"	CPF11MABH0000025	10	200	446.00
3.2	1¼"	CPF11MABH0000032	10	80	929.00
4	1½"	CPF11MABH0000040	10	220	1150.00
5	2"	CPF11MABH0000050	10	30	2141.00



**REDUCER BRASS
ELBOW 90°**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x1.5	1"x¾"	CPF11RBEL902515	10	140	176.00
2x1.5	¾"x½"	CPF11RBEL902015	20	120	99.00



REDUCER MABT HEX
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x1.5	1"x¾"	CPF11RMABH02515	10	200	311.00
2.5x2	1"x¾"	CPF11RMABH02520	10	200	311.00
2x1.5	¾"x½"	CPF11RMABH02015	16	192	175.00



**REDUCER BRASS
TEE FEMALE**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x2.5x1.5	1"x1"x¾"	CPF11RBTf252515	10	60	207.00
2x2x1.5	¾"x¾"x½"	CPF11RBTf202015	10	60	116.00



**BRASS EXTENSION
NIPPLE (CP)**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5x2.5	½"x1"	CPF00BENCP01525	TBD	TBD	133.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SOC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard



NAIL CLAMP
HSN: 73071900

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	CPFOONCL0000020	TBD	TBD	12.00
2.5	1"	CPFOONCL0000025	TBD	TBD	14.00



PLASTIC CLAMP
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	CPFOOPCL0000015	TBD	TBD	6.00
2	3/4"	CPFOOPCL0000020	TBD	TBD	6.00
2.5	1"	CPFOOPCL0000025	TBD	TBD	8.00
3.2	1 1/4"	CPFOOPCL0000032	TBD	TBD	13.00
4	1 1/2"	CPFOOPCL0000040	TBD	TBD	19.00
5	2"	CPFOOPCL0000050	TBD	TBD	23.00



**POWDER COATED
METAL CLAMPS**
HSN: 83089099

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	CPFOOPCMCL00015	TBD	TBD	17.00
2	3/4"	CPFOOPCMCL00020	TBD	TBD	17.00
2.5	1"	CPFOOPCMCL00025	TBD	TBD	20.00
3.2	1 1/4"	CPFOOPCMCL00032	TBD	TBD	20.00
4	1 1/2"	CPFOOPCMCL00040	TBD	TBD	21.00
5	2"	CPFOOPCMCL00050	TBD	TBD	26.00



**CONCEALED VALVE
ROUND SHORT NECK QT**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	CPFOOQCVRSN0015	1	24	1139.00
2	3/4"	CPFOOQCVRSN0020	1	24	1253.00



**CONCEALED VALVE
ROUND LONG NECK QT**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	CPFOOQCVRLN0015	1	24	1344.00
2	3/4"	CPFOOQCVRLN0020	1	24	1478.00



**CONCEALED VALVE
TRIANGLE SHORT NECK QT**
HSN: 123456789

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	CPFOOQCVTSN0015	10	20	1125.00
2	3/4"	CPFOOQCVTSN0020	10	20	1439.00



**CONCEALED VALVE
TRIANGLE LONG NECK QT**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	CPFOOQCVRTN0015	1	24	1286.00
2	3/4"	CPFOOQCVRTN0020	1	24	1414.00



**MIXER ADAPTER
TOP & BOTTOM**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x1.5	1"x1/2"	CPFOOMATB002515	10	20	649.00
2x1.5	3/4"x1/2"	CPFOOMATB002015	10	20	522.00

CPVC HOTX MEDIUM BODIED SOLVENT CEMENTS



TUBE (YELLOW)
HSN: 35061000

Quantity (m)	Material Code	Pkg. (In. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
20	CPSTU00000000020	TBD	TBD	52.00
50	CPSTU00000000050	TBD	TBD	115.00



COEX BOTTLE (YELLOW)
HSN: 35061000

Quantity (m)	Material Code	Pkg. (In. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
50	CPSBTMED0000050	30	240	140.00
100	CPSBTMED0000100	24	144	280.00
250	CPSBTMED0000250	24	96	459.00



TIN (YELLOW)
HSN: 35061000

Quantity (m)	Material Code	Pkg. (In. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
500	CPSTNMED0000500	12	48	920.00
1000	CPSTNMED0001000	6	24	1897.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard

Sintex

CoolX

Potable Water System

UPVC PLUS

Introducing **Sintex CoolX UPVC Plus** Pipes & Fittings with **Antimicrobial Technology**

Introducing a modern solution developed by Sintex a leading provider of innovative plastic products and services. Sintex, known for its expertise in the manufacturing of water storage and management systems, has designed the Portable water system to address various challenges associated with the storage, distribution, and consumption of cold water in residential, commercial, and industrial spaces.



**ANTI
MICROBIAL***

*T&C apply



Why Are We **NXT** Gen Choice?



ANTI MICROBIAL PROPERTIES

Sintex Cool X UPVC Plus introduces next-generation pipes equipped with built-in antimicrobial properties. This ground-breaking feature actively prevents the growth of harmful bacteria, mould, and fungi growth, .



EASY INSTALLATION

Resistant to corrosion, physical damage, and extreme weather, ensuring long-lasting performance.



LEAD FREE

Safe for drinking water and compliant with modern health and safety regulations.



CHEMICAL RESISTANCE

Safe for potable water and resistant to chemicals, acids, and alkalis.



HIGHEST QUALITY OF BRASS FITTINGS

- Highest copper content in brass
- 5 Knurling tracks on brass to ensure tight gripping of brass & plastic
- Wider knurling tracks that give it the capability of bearing upto 130 Nm Torque



LONG LASTING

The pipe resists corrosion from low pH water, coastal salt air, and corrosive soils, maintaining full water-carrying capacity.



FIRE SAFETY

With a Limiting Oxygen Index (LOI) of 45, Sintex UPVC does not support combustion, produce flaming drips, or contribute to fire spread.



UV PROTECTION

UV-stabilized for outdoor use, preventing degradation from sunlight.

Sintex

CoolX

Potable Water System

UPVC PLUS

Explore Our **NXT** Gen Pipes & Fittings

Where Can You Use Sintex CoolX UPVC Plus Pipes?

**Industrial Process
Pipelines****Swimming
Pools****Manufacturing &
Tanning Plants****Hand
Pumps****Sugar, Paper, and
Distillery Industries****Saltwater
Lines****Transportation
of Corrosive Fluids****Coal Washing & Ash
Handling Systems****Down Take
Lines**

Sintex CoolX UPVC Plus Products Range

Type	Sub - Type	Pipe Color	Pipe Color	Stripe Color	Size	Length
IPS (Iron Pipe Size)	SCH 40	Pipes	White	Blue	½" - 2"	3 M, 6 M
	SCH 80	Pipes	White	Red	1" - 2"	3 M, 6 M
		Fittings	White			

Solvent Cement SKUs

Product Type	Packaging Type	SKUs
UPVC	Co-Ex Bottle	50 ML, 100 ML, 250 ML, 500 ML, 1L
	Tube	20 ML, 50 ML

Certified by

IS:14182



NSF/ANSI/CAN 372



• UPVC Concealed Valve Round & Triangle Neck QT - ¾" - 1"

• UPVC Concealed Valve Round & Triangle Neck FT - ¾"

Sintex

CoolX

Potable Water System

UPVC PLUS



DID YOU KNOW?



UPVC pipes have an impressive lifespan of over 50 years!



Once installed, they require minimal maintenance, making them a long-term, cost-effective solution for your plumbing and water systems.



SCH 40 3 METRE LENGTH

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Price ₹ (per pc)
1.5	1/8"	UPP40003015	TBD	248.00
2	3/4"	UPP40003020	TBD	315.00
2.5	1"	UPP40003025	TBD	471.00
3.2	1 1/4"	UPP40003032	TBD	664.00
4	1 1/2"	UPP40003040	TBD	783.00
5	2"	UPP40003050	TBD	1047.00



SCH 80 3 METRE LENGTH

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Price ₹ (per pc)
2.5	1"	UPP80003025	TBD	615.00
3.2	1 1/4"	UPP80003032	TBD	848.00
4	1 1/2"	UPP80003040	TBD	1034.00
5	2"	UPP80003050	TBD	1423.00



SCH 40 6 METRE LENGTH

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Price ₹ (per pc)
1.5	1/8"	UPP40006015	TBD	496.00
2	3/4"	UPP40006020	TBD	630.00
2.5	1"	UPP40006025	TBD	942.00
3.2	1 1/4"	UPP40006032	TBD	1328.00
4	1 1/2"	UPP40006040	TBD	1567.00
5	2"	UPP40006050	6	2093.00



SCH 80 6 METRE LENGTH

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Price ₹ (per pc)
2.5	1"	UPP80006025	TBD	1230.00
3.2	1 1/4"	UPP80006032	TBD	1695.00
4	1 1/2"	UPP80006040	TBD	2069.00
5	2"	UPP80006050	TBD	2846.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard

Sintex

CoolX

Potable Water System

UPVC PLUS



ELBOW 90°

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	½"	UPF80EL900000015	16	160	16.00
2	¾"	UPF80EL900000020	20	100	24.00
2.5	1"	UPF80EL900000025	10	120	37.00
3.2	1¼"	UPF80EL900000032	10	30	56.00
4	1½"	UPF80EL900000040	10	50	72.00
5	2"	UPF80EL900000050	12	60	107.00



ELBOW 45°

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	½"	UPF80EL450000015	16	192	17.00
2	¾"	UPF80EL450000020	20	120	25.00
2.5	1"	UPF80EL450000025	10	140	36.00
3.2	1¼"	UPF80EL450000032	10	30	55.00
4	1½"	UPF80EL450000040	10	50	74.00
5	2"	UPF80EL450000050	8	40	109.00



REDUCER ELBOW 90°

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.0x1.5	¾"x½"	UPF80REL90002015	20	120	25.00
2.5x1.5	1"x¾"	UPF80REL90002515	10	140	34.00
2.5x2.0	1"x¾"	UPF80REL90002520	12	60	46.00



TEE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	½"	UPF80T0000000015	20	100	21.00
2	¾"	UPF80T0000000020	10	60	28.00
2.5	1"	UPF80T0000000025	10	70	47.00
3.2	1¼"	UPF80T0000000032	10	100	79.00
4	1½"	UPF80T0000000040	10	60	99.00
5	2"	UPF80T0000000050	10	20	156.00



REDUCER TEE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x2.5x1.5	1"x1"x½"	UPF80RT00252515	10	100	47.00
2.5x2.5x2	1"x1"x¾"	UPF80RT00252520	10	100	46.00
2x2x1.5	¾"x¾"x½"	UPF80RT00202015	10	60	31.00
3.2x3.2x1.5	1¼"x1¼"x½"	UPF80RT00323215	10	100	99.00
3.2x3.2x2	1¼"x1¼"x¾"	UPF80RT00323220	10	60	99.00
3.2x3.2x2.5	1¼"x1¼"x1"	UPF80RT00323225	10	100	99.00
4x4x1.5	1½"x1½"x½"	UPF80RT00404015	10	60	106.00
4x4x2.0	1½"x1½"x¾"	UPF80RT00404020	10	50	112.00
4x4x2.5	1½"x1½"x1"	UPF80RT00404025	10	60	112.00
4x4x3.2	1½"x1½"x1¼"	UPF80RT00404032	10	60	136.00
5x5x2	2"x2"x¾"	UPF80RT00505020	6	36	177.00
5x5x2.5	2"x2"x1"	UPF80RT00505025	10	20	177.00
5x5x3.2	2"x2"x1¼"	UPF80RT00505032	10	20	178.00
5x5x4	2"x2"x1½"	UPF80RT00505040	6	24	178.00



CROSS TEE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	½"	UPF80CT0000000015	20	100	52.00
2	¾"	UPF80CT0000000020	16	80	80.00
2.5	1"	UPF80CT0000000025	10	60	134.00



COUPLER

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	½"	UPF80CU0000000015	20	240	14.00
2	¾"	UPF80CU0000000020	16	160	17.00
2.5	1"	UPF80CU0000000025	10	100	26.00
3.2	1¼"	UPF80CU0000000032	10	110	38.00
4	1½"	UPF80CU0000000040	10	90	52.00
5	2"	UPF80CU0000000050	10	50	71.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard



**UPVC TO CPVC
CONVERTER COUPLER**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	UPF80UTC0000020	16	240	30.00
2.5	1"	UPF80UTC0000025	10	200	45.00
3.2	1 1/4"	UPF80UTC0000032	10	110	70.00



REDUCER COUPLER
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.0x1.5	3/4"x1/2"	UPF80RCU00002015	16	160	21.00
2.5x2.0	1"x3/4"	UPF80RCU00002520	10	100	33.00
2.5x2.5	1"x1/2"	UPF80RCU00002525	10	100	33.00
3.2x1.5	1 1/4"x1/2"	UPF80RCU00003215	10	110	42.00
3.2x2	1 1/4"x3/4"	UPF80RCU00003220	10	110	44.00
3.2x2.5	1 1/4"x1"	UPF80RCU00003225	10	110	46.00
4.0x2.5	1 1/2"x1"	UPF80RCU00004025	10	90	58.00
4.0x3.2	1 1/2"x1 1/4"	UPF80RCU00004032	10	200	63.00
5.0x4.0	2"x1 1/2"	UPF80RCU00005040	10	50	96.00
5x3.2	2"x1 1/4"	UPF80RCU00005032	10	50	95.00



END CAP
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	UPF80EC00000015	25	200	9.00
2	3/4"	UPF80EC00000020	25	150	13.00
2.5	1"	UPF80EC00000025	12	98	19.00
3.2	1 1/4"	UPF80EC00000032	10	80	33.00
4	1 1/2"	UPF80EC00000040	10	60	41.00
5	2"	UPF80EC00000050	25	225	62.00



**FLANGE W/ END CAP
OPEN**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
4	1 1/4"	UPF80FLEOP00040	5	150	313.00
5	2"	UPF80FLEOP00050	5	150	471.00



REDUCER BUSHING
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x1.5	1"x3/4"	UPF80RBU00002515	10	100	17.00
2.5x2	1"x3/4"	UPF80RBU00002520	16	256	17.00
3.2x2	1 1/4"x3/4"	UPF80RBU00003220	10	110	32.00
3.2x2.5	1 1/4"x1"	UPF80RBU00003225	10	110	33.00
4x2.5	1 1/2"x1"	UPF80RBU00004025	10	90	42.00
4x3.2	1 1/2"x1 1/4"	UPF80RBU00004032	10	90	42.00
5x3.2	2"x1 1/4"	UPF80RBU00005032	10	60	68.00
5x4	2"x1 1/2"	UPF80RBU00005040	10	60	68.00



FAPT
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	UPF80FAPT000015	20	320	13.00
2	3/4"	UPF80FAPT000020	16	144	20.00
2.5	1"	UPF80FAPT000025	10	220	26.00
3.2	1 1/4"	UPF80FAPT000032	10	60	42.00
4	1 1/2"	UPF80FAPT000040	10	50	51.00



MAPT
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	UPF80MAPT000015	24	360	10.00
2	3/4"	UPF80MAPT000020	16	192	14.00
2.5	1"	UPF80MAPT000025	12	96	21.00
3.2	1 1/4"	UPF80MAPT000032	10	80	33.00
4	1 1/2"	UPF80MAPT000040	10	220	42.00
5	2"	UPF80MAPT000050	10	30	62.00



BALL VALVE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	UPF00BV00000015	1	120	154.00
2	3/4"	UPF00BV00000020	1	72	206.00
2.5	1"	UPF00BV00000025	1	48	358.00
3.2	1 1/4"	UPF00BV00000032	1	24	462.00
4	1 1/2"	UPF00BV00000040	1	19	693.00
5	2"	UPF00BV00000050	1	12	1059.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard

NON RETURNABLE VALVE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	UPF00NRV0000020	TBD	TBD	294.00
3.2	1¼"	UPF00NRV0000032	TBD	TBD	845.00
4	1½"	UPF00NRV0000040	TBD	TBD	1311.00
5	2"	UPF00NRV0000050	TBD	TBD	2982.00

UNION

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	½"	UPF80UN00000015	20	240	41.00
2	¾"	UPF80UN00000020	16	240	49.00
2.5	1"	UPF80UN00000025	10	180	74.00
3.2	1¼"	UPF80UN00000032	10	30	119.00
4	1½"	UPF80UN00000040	10	70	146.00
5	2"	UPF80UN00000050	8	24	215.00

TANK NIPPLE (SOCKET)

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	½"	UPF80TN00000015	20	240	45.00
2	¾"	UPF80TN00000020	16	240	44.00
2.5	1"	UPF80TN00000025	10	200	63.00
3.2	1¼"	UPF80TN00000032	10	80	80.00
4	1½"	UPF80TN00000040	10	220	87.00

TANK NIPPLE (THREADED)

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	UPF80TNT00000020	16	240	44.00
2.5	1"	UPF80TNT00000025	10	200	63.00
3.2	1¼"	UPF80TNT00000032	10	80	80.00
4	1½"	UPF80TNT00000040	10	220	87.00

STEP OVER BEND

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	½"	UPF80SOB00000015	20	300	80.00
2	¾"	UPF80SOB00000020	16	TBD	117.00
2.5	1"	UPF80SOB00000025	10	150	171.00
3.2	1¼"	UPF80SOB00000032	5	75	234.00

SWEEP BEND W/ SOC. B/S

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	¾"	UPF80SBB5500020	16	80	45.00
2.5	1"	UPF80SBB5500025	10	120	73.00

BRASS ELBOW 90°

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5x1.5	½"x½"	UPF80BEL9001515	16	160	118.00

REDUCER BRASS ELBOW 90°

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x1.5	1"x½"	UPF80RBEL902515	10	140	173.00
2x1.5	¾"x½"	UPF80RBEL902015	10	120	154.00

BRASS TEE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5x1.5x1.5	½"x½"x½"	UPF80BT00151515	20	100	135.00
2.5x2.5x2.5	1"x1"x1"	UPF80BT00252525	10	60	380.00
2x2x2	¾"x¾"x¾"	UPF80BT00202020	10	60	199.00

REDUCER BRASS TEE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x2.5x1.5	1"x1"x½"	UPF80RBT0252515	10	100	173.00
2x2x1.5	¾"x¾"x½"	UPF80RBT0202015	10	60	149.00
3.2x3.2x1.5	1¼"x1¼"x½"	UPF80RBT0323215	10	100	401.00
4x4x1.5	1½"x1½"x½"	UPF80RBT0404015	10	60	505.00

FABT

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	½"	UPF80FABT00000015	20	300	116.00
2.5	1"	UPF80FABT00000025	10	200	239.00
3	¾"	UPF80FABT00000030	10	60	185.00
3.2	1¼"	UPF80FABT00000032	10	60	398.00
4	1½"	UPF80FABT00000040	10	50	550.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SOC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard



REDUCER FABT
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2.5x1.5	1"x3/4"	UPF80RFABT02515	10	220	178.00
2x1.5	3/4"x3/4"	UPF80RFABT02015	16	144	113.00



MABT
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	UPF80MABT000015	20	300	169.00
2	3/4"	UPF80MABT000020	16	240	267.00
2.5	1"	UPF80MABT000025	10	200	320.00
3.2	1 1/4"	UPF80MABT000032	10	80	547.00
4	1 1/2"	UPF80MABT000040	10	220	675.00
5	2"	UPF80MABT000050	10	30	1019.00



REDUCER MABT
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2x1.5	3/4"x3/4"	UPF80RMABT02015	16	192	210.00



NAIL CLAMP
HSN: 73071900

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	UPF00NC00000015	TBD	TBD	10.00
2	3/4"	UPF00NC00000020	TBD	TBD	12.00
2.5	1"	UPF00NC00000025	TBD	TBD	14.00
3.2	1 1/4"	UPF00NC00000032	TBD	TBD	16.00
4	1 1/2"	UPF00NC00000040	TBD	TBD	18.00
5	2"	UPF00NC00000050	TBD	TBD	20.00



PLASTIC CLAMP
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	UPF00PC00000015	TBD	TBD	6.00
2	3/4"	UPF00PC00000020	TBD	TBD	6.00
2.5	1"	UPF00PC00000025	TBD	TBD	8.00
3.2	1 1/4"	UPF00PC00000032	TBD	TBD	12.00
4	1 1/2"	UPF00PC00000040	TBD	TBD	18.00
5	2"	UPF00PC00000050	TBD	TBD	22.00



POWDER COATED METAL CLAMP
HSN: 83089099

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	UPF00PCMC000015	TBD	TBD	12.00
2	3/4"	UPF00PCMC000020	TBD	TBD	13.00
2.5	1"	UPF00PCMC000025	TBD	TBD	13.00
3.2	1 1/4"	UPF00PCMC000032	TBD	TBD	16.00
4	1 1/2"	UPF00PCMC000040	TBD	TBD	17.00
5	2"	UPF00PCMC000050	TBD	TBD	20.00



THREADED END PLUG
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
1.5	1/2"	UPF80TEPG000015	25	400	14.00



CONCEALED VALVE ROUND SHORT NECK QT
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	UPF00CVRSNQT020	1	24	1278.00
2.5	1"	UPF00CVRSNQT025	1	24	1494.00



CONCEALED VALVE ROUND LONG NECK QT
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	UPF00CVRLNQT020	1	24	1515.00
2.5	1"	UPF00CVRLNQT025	1	24	1685.00



CONCEALED VALVE TRIANGLE SHORT NECK QT
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	UPF00CVTSNQT020	1	24	1278.00



CONCEALED VALVE TRIANGLE LONG NECK QT
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	UPF00CVTLNQT020	1	24	1515.00
2.5	1"	UPF00CVTLNQT025	1	24	1685.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard



**CONCEALED VALVE
TRIANGLE SHORT NECK FT**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	UPF00CVTSNFT020	1	24	1311.00

UPVC COOLX MEDIUM BODIED SOLVENT CEMENTS



**TUBE
(SOLID BLUE)**
HSN: 35061000

Quantatly (ml)	Material Code	Pkg. (In. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
20	UPSTU0000000020	TBD	TBD	25.00
50	UPSTU0000000050	TBD	TBD	76.00



**COEX BOTTLE
(SOLID BLUE)**
HSN: 35061000

Quantatly (ml)	Material Code	Pkg. (In. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
100	UPSBTMED0000100	24	144	192.00
250	UPSBTMED0000250	24	96	331.00



**TIN
(SOLID BLUE)**
HSN: 35061000

Quantatly (ml)	Material Code	Pkg. (In. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
500	UPSTNMED0000500	12	48	575.00
1000	UPSTNMED0001000	6	24	1276.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SOC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, ^ Manufactured as per IS Standard

Sintex

SWRX

Sewerage Waste Rain Water System

UPVC PLUS

Introducing **Sintex SWRX PVC Plus** Pipes & Fittings with **Anti Rodent Properties**

When it comes to sewerage and drainage, reliability is paramount. Our next-generation UPVC pipes are engineered to provide exceptional durability and are designed to be anti Rodent ensuring your sewerage system remains intact and trouble-free. Efficiently transporting waste water from bathrooms, kitchens, and sanitary fixtures, these high-quality pipes offer a robust solution that stands the test of time, providing unmatched strength, longevity, and peace of mind for every building.



**ANTI
RODENT***

*T&C apply



Why Are We **NXT** Gen Choice?



ANTI RODENT

Sintex SWR pipes are resistant to rodent damage, preventing chews and ensuring long-term integrity. This feature reduces maintenance costs and disruptions, making them a durable choice for drainage systems.



CORROSION RESISTANCE

Sintex SWR pipes offer excellent corrosion resistance. These maintenance-free pipes and fittings do not rust, corrode, or promote deposit build-up inside the system.



EASY INSTALLATION

Sintex SWR systems are lightweight, reducing transportation, handling, and installation costs.



TOUGH AND RELIABLE

With a special formulation for high strength and a smooth finish, Sintex SWR pipes provide a long operational life.



SMOOTH INTERIOR

The smooth interior of Sintex SWR pipes and fittings prevents deposit build-up, ensuring low friction loss and high flow rates throughout the life of the system.



COST EFFECTIVE

Sintex SWR systems offer many advantages, resulting in lower capital, installation, and maintenance costs compared to other piping systems.

Sintex

SWRX

Sewerage Waste Rain Water System

UPVC PLUS

Explore Our **NXT Gen** Pipes & Fittings

Where Can You Use Sintex SWRX Pipes?



Soil discharge piping



Rainwater transportation



Wastewater discharge



**Domestic and
commercial drainage**



**Venting of gases, odors,
and bad smells**



Replacement for cast iron piping



**Non-pressure industrial drainage
(chemical compatibility-based)**



**Laboratory drainage
(chemical compatibility-based)**

Sintex SWRX Products Range

Sintex has different range of pipes used in modern sanitary drainage systems, including:

SWR Pipes

Designed for efficient waste and rainwater drainage in residential, commercial, and industrial buildings.

SWRX

Single-layer pipes made of high-quality PVC, offering smooth flow, corrosion resistance, and ease of installation for non-pressure drainage systems along with Anti-Rodent benefits.

SWRX PRO

Three-layered pipes offering Anti-Rodent benefits, superior strength, durability, and corrosion resistance, ideal for various drainage systems.

Each pipe type meets specific drainage needs while adhering to industry standards for safety, performance, and sustainability.

Types of SWR Pipes

SWR pipes are available in two main types:

Type A: Designed specifically for rainwater and ventilation applications

Type B: Intended for handling soil and waste discharge

These pipes and fittings are offered in two connection systems:

Ringfit: Uses a rubber ring for a secure, leak-proof connection

Solfit System: Features a self-locking design for easy and reliable installation

Product Range

Pipes: Available in various diameters (75mm, 90mm, 110mm, 160mm) with single or double socketed ends; Available in both Solfit and PushFit; Available in various lengths (3m, 6m)

Fittings: Bends, tees, couplers, reducers, traps, and other various fittings for sewerage

Flexible PVC Waste Pipe or Corrugated Waste Pipe (SWR) 35 mm

Pan Connector (SWR): 11X25 cm in straight configuration

Certified by

IS:14735



Sintex

SWRX

Sewerage Waste Rain Water System

UPVC PLUS



DID YOU KNOW?



SWR 3-layer pipes feature a smooth inner PVC layer for better flow, a foam core for insulation and reduced weight, and a durable outer layer for impact and UV resistance. These pipes offer strength, longevity, and efficient performance for plumbing systems.

SWRX (PUSH-FIT)

SWRX (SOL-FIT)



TYPE - A
HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	3M	S/S	SWPSAP3M075	1	651.00
9	3"	3M	S/S	SWPSAP3M090	1	937.00
11	4"	3M	S/S	SWPSAP3M110	1	1131.00
16	6"	3M	S/S	SWPSAP3M160	1	2552.00
11	4"	6M	S/S	SWPSAP6M110	1	2250.00
11	4"	6F	D/S	SWPDAP6F110	1	800.00
7.5	2½"	3M	D/S	SWPDAP3M075	1	687.00
11	4"	3M	D/S	SWPDAP3M110	1	1243.00
11	4"	6F	D/S	SWPDAP6F110	1	800.00



TYPE - A
HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	3M	S/S	SWPSA53M075	1	635.00
11	4"	3M	S/S	SWPSA53M110	1	1115.00
16	6"	3M	S/S	SWPSA53M160	1	2552.00
7.5	2½"	6M	S/S	SWPSA56M075	1	1250.00
9	3"	6M	S/S	SWPSA56M090	1	1783.00
11	4"	6M	S/S	SWPSA56M110	1	2217.00
16	6"	6M	S/S	SWPSA56M160	1	5085.00



TYPE - B
HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	3M	S/S	SWPSAP3M075	1	1112.00
11	4"	3M	S/S	SWPSAP3M090	1	1645.00



TYPE - B
HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	3M	S/S	SWPSB53M075	1	1079.00
11	4"	3M	S/S	SWPSB53M110	1	1645.00
7.5	2½"	6M	S/S	SWPSB56M075	1	2138.00
11	4"	6M	S/S	SWPSB56M110	1	3270.00
16	6"	6M	S/S	SWPSB56M160	1	6763.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard

SWRX PRO (PUSH-FIT)



TYPE - A
HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	3M	S/S	3SWPSAP3M075	1	651.00
9	3"	3M	S/S	3SWPSAP3M090	1	937.00
11	4"	3M	S/S	3SWPSAP3M110	1	1131.00
16	6"	3M	S/S	3SWPSAP3M160	1	2552.00
11	4"	6M	S/S	3SWPSAP6M110	1	2250.00
11	4"	6F	D/S	3SWPDAP6F110	1	800.00
7.5	2½"	3M	D/S	3SWPDAP3M075	1	687.00
11	4"	3M	D/S	3SWPDAP3M110	1	1243.00
11	4"	6F	D/S	3SWPDAP6F110	1	800.00



TYPE - B
HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	3M	S/S	3SWPSAP3M075	1	1112.00
11	4"	3M	S/S	3SWPSAP3M090	1	1645.00

SWRX PRO (SOL-FIT)



TYPE - A
HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	3M	S/S	3SWPSAS3M075	1	651.00
11	4"	3M	S/S	3SWPSAS3M110	1	937.00
16	6"	3M	S/S	3SWPSAS3M160	1	1131.00
7.5	2½"	6M	S/S	3SWPSAS6M075	1	2552.00
9	3"	6M	S/S	3SWPSAS6M090	1	2250.00
11	4"	6M	S/S	3SWPSAS6M110	1	800.00
16	6"	6M	S/S	3SWPSAS6M160	1	687.00



TYPE - B
HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	3M	S/S	3SWPSBS3M075	1	651.00
11	4"	3M	S/S	3SWPSBS3M110	1	937.00
7.5	2½"	6M	S/S	3SWPSBS6M075	1	1131.00
11	4"	6M	S/S	3SWPSBS6M110	1	2552.00
16	6"	6M	S/S	3SWPSBS6M160	1	2250.00

Sintex

SWRX

Sewerage Waste Rain Water System

UPVC PLUS



PUSH-FIT



BEND 87.5°

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPB8700000075	70	97.00
9	3"	SWFPB8700000090	24	163.00
11	4"	SWFPB8700000110	24	188.00
16	6"	SWFPB8700000160	TBD	422.00



DOOR BEND

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPDOB00000075	50	129.00
11	4"	SWFPDOB00000110	24	227.00



BEND 45°

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPB4500000075	80	81.00
9	3"	SWFPB4500000090	19	123.00
11	4"	SWFPB4500000110	30	149.00
16	6"	SWFPB4500000160	TBD	381.00



COUPLER

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPCU000000075	115	72.00
11	4"	SWFPCU000000110	45	129.00
16	6"	SWFPCU000000160	TBD	291.00



REPAIR COUPLER

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPREPCU0000075	115	79.00
11	4"	SWFPREPCU000110	45	137.00
16	6"	SWFPREPCU000160	TBD	345.00



ECCENTRIC REDUCER

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11x7.5	4"x2½"	SWFPECRO0011075	45	112.00
16x11	6"x4"	SWFPECRO0160110	TBD	229.00



SINGLE TEE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPSGT00000075	40	136.00
11	4"	SWFPSGT00000110	14	253.00
16	6"	SWFPSGT00000160	TBD	614.00



DOOR TEE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPDOT00000075	30	166.00
11	4"	SWFPDOT00000110	12	291.00



REDUCER TEE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11x7.5	4"x2½"	SWFPRT000011075	14	221.00
16x11	6"x4"	SWFPRT000160110	TBD	512.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard



REDUCER DOOR TEE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11x7.5	4"x2½"	SWFPRDOT0011075	14	272.00



SWEPT TEE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	SWFPSWT00000110	14	290.00



SWEPT TEE WITH DOOR
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	SWFPSWTD00000110	TBD	321.00



DOUBLE TEE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPDBT00000075	30	195.00
11	4"	SWFPDBT00000110	10	314.00



DOUBLE TEE WITH DOOR
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPDBT00000075	24	299.00
11	4"	SWFPDBT00000110	10	385.00



SINGLE Y
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPSGY00000075	32	159.00
11	4"	SWFPSGY00000110	12	307.00



SINGLE Y DOOR
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPSGYD00000075	32	195.00
11	4"	SWFPSGYD00000110	10	393.00



REDUCER Y WITHOUT DOOR
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11x7.5	4"x2½"	SWFPRY0000011075	14	247.00
16x11	6"x4"	SWFPRY000160110	TBD	724.00



DOUBLE Y
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPDBY00000075	24	207.00
11	4"	SWFPDBY00000110	TBD	416.00



DOUBLE Y WITH DOOR
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	SWFPDBYD00000110	6	495.00



REVERSE Y
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPRVY00000075	32	188.00



CLEANING PIPE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPCLP00000075	50	125.00
11	4"	SWFPCLP00000110	20	249.00




LONG SWEPT BEND D/S
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	SWFPLSWBD000110	TBD	351.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard



YELLOW SEAL O RING
HSN: 40161000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFOYSORG000075	TBD	12.00
9	3"	SWFOYSORG000090	TBD	17.00
11	4"	SWFOYSORG000110	TBD	18.00
16	6"	SWFOYSORG000160	TBD	41.00

PVCX LUBRICANT (SOL-FIT)



**LUBRIX RUBBER
LUBRICANT**
HSN: 34031900

Quantitiy (ml)	Material Code	Pkg. (In. carton)	Pkg. (Dut. carton)	Price ₹
100	SWSBTLUB0000100	TBD	100	33.00
250	SWSBTLUB0000250	TBD	40	70.00
500	SWSBTLUB0000500	TBD	20	122.00

SOL-FIT



BEND 87.5°
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFSB8700000075	70	85.00
11	4"	SWFPB8700000090	24	158.00
16	6"	SWFSB8700000160	TBD	394.00



DOOR BEND
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFSD0800000075	50	116.00
11	4"	SWFSD0800000110	24	197.00



BEND 45°
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFSB4500000075	80	73.00
11	4"	SWFSB4500000110	36	129.00
16	6"	SWFSB4500000160	TBD	372.00



COUPLER
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFSCU0000000075	115	57.00
11	4"	SWFSCU0000000110	45	109.00
16	6"	SWFSCU0000000160	TBD	264.00



REPAIR COUPLER
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFSREPCU000075	115	73.00
11	4"	SWFSREPCU000110	45	109.00



REDUCING BUSH
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11x7.5	4"x2½"	SWFSRBU00011075	50	76.00
7.5x4	2½"x1½"	SWFSRBU00007540	115	48.00
9x7.5	3"x2½"	SWFSRBU00009075	50	61.00



SINGLE TEE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFSSGT00000075	40	122.00
11	4"	SWFSSGT00000110	14	235.00



DOOR TEE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFSDOT00000075	30	153.00
11	4"	SWFSDOT00000110	12	273.00



REDUCER TEE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11x7.5	4"x2½"	SWFSRT000011075	14	213.00
16x11	6"x4"	SWFSRT000160110	TBD	472.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard



SWEPT TEE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	SWFSSWT00000110	14	242.00



SINGLE Y
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFSSGY00000075	32	140.00
11	4"	SWFSSGY00000110	12	277.00
16	6"	SWFSSGY00000160	TBD	781.00



SINGLE Y DOOR
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFSSGYD00000075	32	180.00
11	4"	SWFSSGYD00000110	10	374.00



**REDUCER Y
WITHOUT DOOR**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11x7.5	4"x2½"	SWFSRY000011075	14	233.00



CLEANING PIPE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	SWFSCLP00000110	21	236.00



**SWEPT TEE
WITH DOOR**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	SWFSSWT00000110	12	289.00

PVCX REGULAR SOLVENT CEMENTS (PUSH-FIT)



**COEX BOTTLE
(CLEAR)**
HSN: 35061000

Quantity (ml)	Material Code	Pkg. (In. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
50	SWSBTREG00000050	30	240	45.00
100	SWSBTREG00000100	24	144	115.00
250	SWSBTREG00000250	24	96	204.00



**TIN
(CLEAR)**
HSN: 35061000

Quantity (ml)	Material Code	Pkg. (In. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
500	SWSTNREG00000500	12	48	345.00
1000	SWSTNREG00001000	6	24	587.00

COMMON FITTINGS FOR SOL-FIT AND PUSH-FIT



**P TRAP SHORT & DEEP
W/50MM SEAL W/O LEG**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11x12.5	4"x4½"	SWFOPTSD0110125	12	475.00
11x11	4"x4"	SWFOPTSD0110110	12	379.00



**NAHANI TRAP
W/O JALI**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11x11	4"x4"	SWFSNT0000110110	24	188.00
11x7.5	4"x2½"	SWFSNT0000011075	36	158.00
11x9	4"x3"	SWFSNT0000011090	24	163.00



**GULLY TRAP
WITH JALI**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	SWF5GTJ00000110	TBD	693.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items, # Shortly Introducing, * Manufactured as per IS Standard



**MULTI TRAP
W/O JALI**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11x7.5x5	4"x2½"x1½"	SWFSMT401107550	45	193.00
11x7.5x5	4"x2½"x1½"	SWFSMT701107550	40	312.00



VENT COWL
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFOVCWL0000075	161	28.00
11	4"	SWFOVCWL0000110	66	48.00



**MULTI TRAP PARTITION
WITH CAP**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	SWFOMTPWC000110	TBD	42.00



DOOR CAP
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFPDOCP0000075	TBD	43.00
11	4"	SWFPDOCP0000110	132	60.00



**MULTI TRAP
PARTITION CAP**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	SWFOMTPC0000110	TBD	12.00



**ROUND JALI FOR
NAHANI TRAPS**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	SWFORJLNT000110	440	27.00



**SINGLE PIECE
PARTITION**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	SWF0SGPP0000110	TBD	26.00



**WC CONNECTOR
STRAIGHT**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11x12.5	4x4½"	SWF5WC500110125	45	137.00



SOCKET PLUG
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFSSOPG0000075	75	49.00
11	4"	SWFSSOPG0000110	75	76.00
16	6"	SWFSSOPG0000160	TBD	182.00



**CORRUGATED
WASTE PIPE**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
3.5	1.3"	SWF0CWP00000035	TBD	87.00



**PIPE CLIPS WITH
BIG HOLES**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	2½"	SWFOPCBH0000075	350	23.00
9	3"	SWFOPCBH0000090	50	29.00
11	4"	SWFOPCBH0000110	200	33.00
16	4"	SWFOPCBH0000160	50	66.00



**SELF CLEANING
TRAP**
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
3.2	1.3"	SWF05CT00000032	20	457.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items, # Shortly Introducing, * Manufactured as per IS Standard

Sintex

AgriX

Water Supplies System

UPVC PLUS

Introducing **Sintex AgriX UPVC Plus** Pipes & Fittings with **Lead Free Properties**

Engineered for efficiency, our next-gen AGRI pipes ensure optimal water flow from borewells, canals, and irrigation systems. Perfect for both water transport and drainage, these durable pipes are made from a high-performance blend of plastic and vinyl, offering unmatched reliability for agriculture and beyond.



**LEAD
FREE***

*T&C apply



Why Are We **NXT** Gen Choice?



NON TOXIC

uPVC pipes are non-toxic, making them safe for use in drinking water systems and other applications involving human contact.



LONG LASTING

uPVC pipes are highly resistant to physical damage, including cracking and breakage. This makes them ideal for use in areas with extreme weather conditions or rough handling.



LOW MAINTENANCE

Due to their resistance to wear, rust, and rot, uPVC pipes require very little maintenance compared to traditional piping materials like iron or steel.



CORROSION RESISTANCE

Unlike metal pipes, uPVC pipes are not prone to corrosion from water, chemicals, or the soil around them, ensuring a longer lifespan without the need for frequent replacements.



CHEMICAL RESISTANCE

uPVC is highly resistant to a wide range of chemicals, including acids, alkalis, and salts. This makes it suitable for transporting a variety of fluids, including potable water and wastewater.



EARTHQUAKE RESILIENCE

Capable of withstanding extreme movement and bending, making it suitable for earthquake-prone areas. Withstands vigorous shaking of the earth without damage.



LIGHT WEIGHT

Compared to other materials like metal, uPVC is much lighter, which simplifies transportation, handling, and installation of the pipes.



INTERNAL SMOOTH SURFACE

The pipe's smooth surface helps prevent bacterial contamination (e.g., E. coli). Used by many water companies to maintain water quality and prevent contamination.

Sintex

AgriX

Water Supplies System

UPVC PLUS

Explore Our
NXT Gen
Pipes & Fittings

Sintex AgriX Products Range

Pipes: Available in various diameters
(40mm, 50mm, 63mm, 75mm) with
4 kgf/cm² and 6 kgf/cm² pressure rating;
Available in 6m length

Fittings: Bends, tees, couplers, reducers,
Male/ Female Adaptors and other
various fittings for sewerage
applications.

Certified by

IS:7834



NSF/ANSI/CAN 372



Sintex

AgriX

Water Supplies System
UPVC PLUS



DID YOU KNOW?



Agri pipes have key properties like durability, flexibility, and UV resistance. They are designed to withstand harsh weather conditions, prevent cracking, and ensure long-lasting performance. These pipes also offer easy installation and low maintenance, making them ideal for efficient water distribution



6 KGF/CM2

HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Material Code	Pkg. (std.)	Price ₹ (per pc)
4	1½"	6M	AGP60006040	TBD	520.00
5	1½"	6M	AGP60006050	TBD	786.00
6.3	2"	6M	AGP60006063	TBD	1268.00



4 KGF/CM2

HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Material Code	Pkg. (std.)	Price ₹ (per pc)
6.3	2"	6M	AGP40006063	TBD	869.00
7.5	2½"	6M	AGP40006075	TBD	1205.00
9	3"	6M	AGP40006090	TBD	1661.00
11	4"	6M	AGP40006110	TBD	2359.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard

Sintex

AgriX

Water Supplies System
UPVC PLUS



6 KGF/CM2



ELBOW 90°
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
4	1½"	AGF60EL90000040	55	27.00
5	1½"	AGF60EL90000050	110	45.00
6.3	2"	AGF60EL90000063	48	66.00
7.5	2½"	AGF60EL90000075	42	87.00
9	3"	AGF60EL90000090	24	145.00
11	4"	AGF60EL90000110	14	212.00
16	6"	AGF60EL90000160	12	674.00



ELBOW 45°
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
6.3	2"	AGF60EL45000063	36	55.00
7.5	2½"	AGF60EL45000075	48	76.00
11	4"	AGF60EL45000110	40	175.00



TEE
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
4	1½"	AGF60T000000040	72	36.00
5	1½"	AGF60T000000050	40	55.00
6.3	2"	AGF60T000000063	46	83.00
7.5	2½"	AGF60T000000075	30	108.00
9	3"	AGF60T000000090	20	178.00
11	4"	AGF60T000000110	10	298.00
16	6"	AGF60T000000160	9	952.00




REDUCING TEE
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
6.3x5	2"x1½"	AGF60RT00006350	24	87.00



COUPLER
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
4	1½"	AGF60CU00000040	180	20.00
5	1½"	AGF60CU00000050	100	26.00
6.3	2"	AGF60CU00000063	84	40.00
7.5	2½"	AGF60CU00000075	80	55.00
9	3"	AGF60CU00000090	48	91.00
11	4"	AGF60CU00000110	24	145.00
16	6"	AGF60CU00000160	8	327.00



REDUCER COUPLER
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
6.3x4	2"x1½"	AGF60RCU00006340	96	34.00
6.3x5	2"x1½"	AGF60RCU00006350	96	41.00
7.5x4	2½"x1½"	AGF60RCU00007540	60	48.00
7.5x5	2½"x1½"	AGF60RCU00007550	60	45.00



END CAP
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
4	1½"	AGF60EC00000040	125	15.00
5	1½"	AGF60EC00000050	200	21.00
6.3	2"	AGF60EC00000063	200	31.00
7.5	2½"	AGF60EC00000075	136	53.00
9	3"	AGF60EC00000090	65	72.00
11	4"	AGF60EC00000110	54	107.00
16	6"	AGF60EC00000160	20	213.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard



THREADED END CAP
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
6.3	2"	AGF60TEC0000063	200	28.00
7.5	2½"	AGF60TEC0000075	120	43.00
9	3"	AGF60TEC0000090	70	68.00
11	4"	AGF60TEC0000110	72	85.00



COMPACT BALL VALVE
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
4	1½"	AGF00CBV0000040	45	360.00
5	1¾"	AGF00CBV0000050	32	505.00
6.3	2"	AGF00CBV0000063	16	788.00



MAPT
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
6.3	2"	AGF60MAPT0000063	140	38.00
7.5	2½"	AGF60MAPT0000075	85	53.00
9	3"	AGF60MAPT0000090	72	81.00
11	4"	AGF60MAPT0000110	24	126.00



FAPT
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
6.3	2"	AGF60FAPT0000063	84	43.00
7.5	2½"	AGF60FAPT0000075	76	69.00
9	3"	AGF60FAPT0000090	48	89.00
11	4"	AGF60FAPT0000110	24	149.00

4 KGF/CM²



COUPLER
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
6.3	2"	AGF40CU00000063	64	36.00
7.5	2½"	AGF40CU00000075	56	50.00
9	3"	AGF40CU00000090	60	82.00
11	4"	AGF40CU00000110	36	131.00
16	6"	AGF40CU00000160	8	294.00



ELBOW 90°
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
6.3	2"	AGF40EL900000063	96	64.00
7.5	2½"	AGF40EL900000075	80	84.00
9	3"	AGF40EL900000090	42	140.00
11	4"	AGF40EL900000110	36	200.00
16	6"	AGF40EL900000160	12	525.00



TEE
HSN: 39174000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
6.3	2"	AGF40T0000000063	48	83.00
7.5	2½"	AGF40T0000000075	72	111.00
9	3"	AGF40T0000000090	24	169.00
11	4"	AGF40T0000000110	24	263.00
16	6"	AGF40T0000000160	9	722.00

PVCX REGULAR SOLVENT CEMENTS



COEX BOTTLE (CLEAR)
HSN: 35061000

Quantitiy (ml)	Material Code	Pkg. (In. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
50	SWSBTREG0000050	30	240	45.00
100	SWSBTREG0000100	24	144	115.00
250	SWSBTREG0000250	24	96	204.00



TIN (CLEAR)
HSN: 35061000

Quantitiy (ml)	Material Code	Pkg. (In. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
500	SWSTNREG0000500	12	48	345.00
1000	SWSTNREG0001000	6	24	587.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard

Sintex

GroundX

Drainage System

FOAM CORE

Introducing **Sintex GroundX Foam Core** Pipes & Fittings with **Anti Rodent Properties**

Sintex's innovative drainage solutions, including foamcore pipes, man holes, and inspection chambers, are designed for maximum efficiency. Built to prevent water logging, ensure hygiene, and protect the environment, these durable components set the foundation for a reliable, sustainable drainage system from the ground up.



**ANTI
RODENT***

*T&C apply



Why Are We **NxT** Gen Choice?



ANTI RODENT

Sintex GroundX pipes are resistant to rodent damage, preventing chews and ensuring long-term integrity. This feature reduces maintenance costs and disruptions, making them a durable choice for drainage systems.



COST-EFFECTIVE AND LONG-LASTING

Foamcore pipes provide an affordable and durable option for drainage, reducing maintenance and replacement costs over time.



EXCELLENT CHEMICAL RESISTANCE

These pipes offer superior resistance to a wide range of chemicals, ensuring reliability in various environments.



CORROSION-PROOF AND DURABLE

Sintex Foamcore pipes are resistant to corrosion and can withstand extreme temperature fluctuations, ensuring long-term performance.



LIGHTWEIGHT AND EASY TO HANDLE

Sintex Foamcore pipes are lightweight, making them easy to transport and install with minimal effort.

Sintex

GroundX

Drainage System

FOAM CORE

Explore Our
NXT Gen
Pipes & Fittings

Where Can You Use Sintex GroundX Foam Core Pipes?



Residences



Hospitals



Commercial **Complexes**



Academic **Institutes**



Resorts

Sintex GroundX Products Range

Pipes: Available in various diameters (110mm, 160mm, 200mm) with stiffness class SN2, SN4 and SN8 to withstand different external loads; Available in both SolFit and PushFit; Available in various lengths (3m, 6m)

Fittings: Bends, tees, couplers, reducers and other various fittings for drainage plumbing solutions

Sintex GroundX

Drainage System
FOAM CORE



DID YOU KNOW?



UGD (Underground Drainage) systems are designed to efficiently manage wastewater and stormwater. They use high-strength pipes that prevent leakage and blockages. UGD systems ensure hygienic and effective drainage, protecting both the environment and public health by safely channeling waste underground.

SOL-FIT



SN 2

HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	3M	S/S	FOP52S03110	1	1453.00
16	6"	3M	S/S	FOP52S03160	1	2606.00
20	8"	3M	S/S	FOP52S03200	1	3830.00
11	4"	6M	S/S	FOP52S06110	1	2858.00
16	6"	6M	S/S	FOP52S06160	1	5113.00



SN 2

HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	3M	P/F	FOP52P03110	1	1492.00
16	6"	3M	P/F	FOP52P03160	1	2787.00
11	4"	6M	P/F	FOP52P06110	1	2931.00
16	6"	6M	P/F	FOP52P06160	1	5478.00



SN 4

HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	3M	S/S	FOP54S03110	1	1487.00
16	6"	3M	S/S	FOP54S03160	1	3063.00
20	8"	3M	S/S	FOP54S03200	1	4666.00
11	4"	6M	S/S	FOP54S06110	1	2974.00
16	6"	6M	S/S	FOP54S06160	1	6133.00
20	8"	6M	S/S	FOP54S06200	1	9325.00



SN 4

HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	3M	P/F	FOP54P03110	1	1517.00
16	6"	3M	P/F	FOP54P03160	1	3129.00
11	4"	6M	P/F	FOP54P06110	1	3007.00
16	6"	6M	P/F	FOP54P06160	1	6199.00



SN 8

HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
20	8"	3M	S/S	FOP58S03200	1	5699.00
16	6"	6M	S/S	FOP58S06160	1	7127.00
20	8"	6M	S/S	FOP58S06200	1	11200.00



SN 8

HSN: 123456789

OD Size (cm)	OD Size (inch)	Length	Socket Type	Material Code	Pkg. (carton)	Price ₹ (per pc)
16	6"	6M	P/F	FOP58P06160	1	7245.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard

Sintex GroundX

Drainage System

FOAM CORE



PUSH-FIT



BEND 87.5°

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFPPB000000110	TBD	247.00
16	6"	FOFPPB000000160	TBD	545.00



BEND 45°

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFPB4500000110	TBD	209.00
16	6"	FOFPB4500000160	TBD	500.00



SINGLE TEE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFPSGT00000110	TBD	336.00
16	6"	FOFPSGT00000160	TBD	771.00



REDUCER TEE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
16x11	6"x4"	FOFPRT000160110	TBD	781.00



COUPLER

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFPCU000000110	TBD	195.00
16	6"	FOFPCU000000160	TBD	465.00
20	8"	FOFPCU000000200	TBD	1158.00



REPAIR COUPLER

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFPREPCU000110	TBD	268.00



REDUCER OFFSET

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
16x11	6"x4"	FOFPRO000160110	TBD	619.00



SINGLE Y

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFPSGY00000110	TBD	413.00
16	6"	FOFPSGY00000160	TBD	1042.00



REDUCER Y

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
16x11	6"x4"	FOFPRY000160110	TBD	1412.00



SWEPT BEND

HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFPSWB00000110	TBD	541.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items, # Shortly Introducing, * Manufactured as per IS Standard



NRV
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFPNRV00000110	TBD	3264.00
16	6"	FOFPNRV00000160	TBD	7251.00



SINGLE TEE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFSSGT00000110	TBD	465.00
16	6"	FOFSSGT00000160	TBD	1579.00



YELLOW SEAL O RING
HSN: 40161000

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
20	8"	FOFOB5ORG000200	TBD	97.00



REDUCER TEE
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
16x11	6"x4"	FOFSRT000160110	TBD	742.00

PVCX LUBRICANT PUSH-FIT



**LUBRIX RUBBER
LUBRICANT**
HSN: 34031900

Quantatig (ml)	Material Code	Pkg. (in. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
100	SWSBTLUB0000100	TBD	100	33.00
250	SWSBTLUB0000250	TBD	40	70.00
500	SWSBTLUB0000500	TBD	20	122.00



COUPLER
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFSCU000000110	TBD	184.00
16	6"	FOFSCU000000160	TBD	373.00

SOL-FIT



BEND 87.5°
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (std.)	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFSPB000000110	TBD	TBD	343.00
16	6"	FOFSPB000000160	TBD	TBD	828.00



SINGLE Y
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFSSGY00000110	TBD	847.00



BEND 45°
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFSB4500000110	TBD	284.00
16	6"	FOFSB4500000160	TBD	632.00



SOCKET PLUG
HSN: 39172390

OD Size (cm)	OD Size (inch)	Material Code	Pkg. (carton)	Price ₹ (per pc)
11	4"	FOFSSOPG0000110	TBD	90.00
16	6"	FOFSSOPG0000160	TBD	215.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SOC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard

PVCX REGULAR SOLVENT CEMENTS - SOL-FIT



COEX BOTTLE (CLEAR)

HSN: 35061000

Quantatiy (ml)	Material Code	Pkg. (In. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
50	SWSBTREG0000050	30	240	45.00
100	SWSBTREG0000100	24	144	115.00
250	SWSBTREG0000250	24	96	204.00



TIN (CLEAR)

HSN: 35061000

Quantatiy (ml)	Material Code	Pkg. (In. carton)	Pkg. (Out. carton)	Price ₹ (per pc)
500	SWSTNREG0000500	12	48	345.00
1000	SWSTNREG0001000	6	24	587.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SOC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard

Sintex

ReclaimX

Sewerage Waste Rain Water System

UPVC

Introducing **Sintex ReclaimX UPVC** Pipes **Fit for Reuse**

Sintex ReclaimX uPVC plumbing pipes are designed for transfer ring cold and non-potable pressurized treated water, which is reclaimed from various usage sources like wastewater from sinks, shower drains, washing machines, bathtubs, dishwashers, etc. Sintex ReclaimX pipes are easily identifiable by their 'Purple Colour,' a universal symbol for recycled water. This color makes them distinguishable from other pipes. Reclaiming wastewater helps conserve water resources and contributes to maintaining ecological balance.



**FIT FOR
REUSE***

*T&C apply



Why Are We **NXT** Gen Choice?



FIT FOR REUSE

By using reclaimed water for non-potable purposes, you actively reduce the demand on fresh water resources, contributing to environmental sustainability.



SUSTAINABLE WATER MANAGEMENT

Reclaim wastewater from various sources like household drains to conserve valuable water resources.



DISTINCTIVE PURPLE COLOR

Easily identifiable for recycled water, promoting awareness and preventing cross-contamination with potable water systems.



CORROSION RESISTANT

Resistant to harsh chemicals and high water pressure, making them ideal for reclaimed water systems in residential, commercial, and industrial applications.



DURABLE & LEAK-PROOF

Built to withstand pressurized systems, ensuring long-lasting, reliable performance without leaks or degradation.



EASY INSTALLATION

Lightweight and easy to handle, reducing installation time and labor costs.

Sintex

ReclaimX

Sewerage Waste Rain Water System

UPVC

Explore Our **NXT Gen** Pipes & Fittings

Where Can You Use **Sintex ReclaimX Pipes?**



Irrigation and landscaping



**Watering and dust control
for under-construction buildings**



**Public utilities for
non-potable applications**



Industrial use



**Residential and commercial
building flush lines**



**Green Building
Application**

Sintex ReclaimX Products Range

Pipes: SCH 40 & SCH 80 : ½" - 2".

Fittings: Sintex CoolX UPVC Fittings are used along with ReclaimX Pipes

Sintex

ReclaimX

Sewerage Waste Rain Water System

UPVC



DID YOU KNOW?



Reclaim pipes are used to collect and reuse water, often from waste or stormwater. They help conserve water by channeling it for treatment and recycling, reducing demand on freshwater sources and supporting sustainable water management.



PIPE SCHEDULE-40 3 METRE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Material Code	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	3M	RCP40003020	TBD	315.00
2.5	1"	3M	RCP40003025	TBD	471.00
3.2	1 1/4"	3M	RCP40003032	TBD	664.00
4	1 1/2"	3M	RCP40003040	TBD	783.00
5	2"	3M	RCP40003050	TBD	1047.00



PIPE SCHEDULE-40 6 METRE

HSN: 39172390

OD Size (cm)	OD Size (inch)	Length	Material Code	Pkg. (carton)	Price ₹ (per pc)
2	3/4"	6M	RCP40006020	TBD	315.00
2.5	1"	6M	RCP40006025	TBD	471.00
3.2	1 1/4"	6M	RCP40006032	TBD	664.00
4	1 1/2"	6M	RCP40006040	TBD	783.00
5	2"	6M	RCP40006050	TBD	1047.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SOC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items. # Shortly Introducing, * Manufactured as per IS Standard

Sintex

DrainX

Surface Drainage system

HDPE

Introducing **Sintex DrainX surface drainage** with **High Flow**

Our advanced surface drainage channels meticulously crafted from premium HDPE. Engineered for precision, these channels seamlessly integrate into a variety of environments, offering exceptional drainage performance across multiple applications. Our comprehensive range is designed to efficiently drain surface water, providing a versatile solution suitable for residential, commercial, sports fields, and heavy industrial areas. With a variety of grating options tailored to different load capacities, Sintex DrainX ensures optimal performance and durability, while adhering to European quality standards. Whether it's pedestrian traffic in residential zones, vehicular loads in commercial spaces, or the demanding conditions of heavy industrial environments, our range excels in delivering efficient surface drainage while maintaining structural integrity.



**HIGH
FLOW***

*T&C apply



Why Are We **NXT** Gen Choice?



**SMOOTH CHANNEL
INNERS ALLOWING
UNHINDERED FLOW**



**IMPROVES SAFETY
BY KEEPING WALKWAYS
AND DRIVEWAYS DRY**



**UV
RESISTANCE**



**LOWER MANNING
COEFFICIENT**



**STRONG
AND DURABLE**



**EASY TO INSTALL
AND MAINTAIN**



**VERSATILE WITH
OUTLETS IN
ALL DIRECTIONS**



**MODULAR AND CAN BE
EXTENDED TO LONG
LENGTHS IF REQUIRED**



**LONG
SERVICE LIFE**

Sintex

DrainX

Surface Drainage system

HDPE

Explore Our

NXT Gen

Surface Drainage System

Where Can You Use Sintex DrainX HDPE ?



Drainage of Paved Surfaces

- . Roads and highways
- . Parking lots and driveways
- . Sidewalks and walkways
- . Patios, decks, and balconies



Drainage of Industrial and Commercial Areas

- . Warehouses and factories
- . Loading docks and ramps
- . Parking garages
- . Rooftops



Drainage of Landscaped Areas

- . Around buildings
- . Planting beds and gardens
- . Sports fields and playgrounds
- . Around swimming pools & other water features



Other Applications

- . Around fountains and other water features
- . In parks and gardens

Sintex DrainX HDPE Products Range

. **All channels come with Grating, junction boxes, End Cap, and End Cap with Outlet**

. **Can LENGTH:** 500MM

. **GRATING LENGTH:** 500MM

. **GRATING TYPES & LOAD BEARING STRENGTH:**


- A (15 kN)
- B (125 kN)
- C (250 kN)
- D (400 kN)
- E (600 kN)

Sintex

Drainx

Surface Drainage system

HDPE



DID YOU KNOW?



Surface drainage helps prevent flooding by directing rainwater away from streets and buildings, reducing water accumulation and protecting infrastructure?



**PE CHANNEL WITH SIDE RAIL
WIDTH 100MM**
HSN: 39259090

OD Size (cm)	OD Size (mm)	Material Code	Pkg. (carton)	Price ₹ (per pc)
10x5.5x50	100x55x500	SDOCH0100055500	TBD	100.00
10x10x50	100x100x500	SDOCH0100100500	TBD	100.00
10x15x50	100x150x500	SDOCH0100150500	TBD	100.00



**PE CHANNEL WITH SIDE RAIL
WIDTH 150MM**
HSN: 39259090

OD Size (cm)	OD Size (mm)	Material Code	Pkg. (carton)	Price ₹ (per pc)
15x15x50	100x55x500	SDOCH0150150500	TBD	100.00
15x20x50	100x100x500	SDOCH0150200500	TBD	100.00



PE GRATING
HSN: 39259090

OD Size (cm)	OD Size (mm)	Material Code	Pkg. (carton)	Price ₹ (per pc)
9.5x2.2x50	95x22x500	SDOPGRA09522500	TBD	100.00
14.5x2.2x50	145x22x500	SDOPGRA14522500	TBD	100.00



**PE END PLATE
WITHOUT OUTLET**
HSN: 39259090

OD Size (cm)	OD Size (mm)	Material Code	Pkg. (carton)	Price ₹ (per pc)
10x5.5	100x55	SDOEP0000100055	TBD	100.00
10x10	100x100	SDOEP0000100100	TBD	100.00
10x15	100x150	SDOEP0000100150	TBD	100.00
15x15	150x150	SDOEP0000150150	TBD	100.00
15x20	150x200	SDOEP0000150200	TBD	100.00



**PE END PLATE
WITH OUTLET**
HSN: 39259090

OD Size (cm)	OD Size (mm)	Material Code	Pkg. (carton)	Price ₹ (per pc)
10x5.5x05	100x55x050	SDOEPW010005550	TBD	100.00
10x10x07.5	100x100x075	SDOEPW010010075	TBD	100.00
10x15x07.5	100x150x075	SDOEPW010015075	TBD	100.00
10x15x0xx	150x150x0xx	SDOEPW0150150xx	TBD	100.00
10x15x0xx	150x200x0xx	SDOEPW0150200xx	TBD	100.00



PE JUNCTION BOX
HSN: 39259090

OD Size (cm)	OD Size (mm)	Material Code	Pkg. (carton)	Price ₹ (per pc)
100x55	10x5.5	SDOJB0000100055	TBD	100.00
100x100	10x10	SDOJB0000100100	TBD	100.00
100x150	10x15	SDOJB0000100150	TBD	100.00
150x150	15x15	SDOJB0000150150	TBD	100.00
150x200	15x20	SDOJB0000150200	TBD	100.00



**ABS TERRACE DRAIN
SS GRATING**
HSN: 39259090

OD Size (cm)	OD Size (mm)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	75	SDOTDSS00000075	TBD	100.00
11	110	SDOTDSS00000110	TBD	100.00



ABS BALCONY CORNER DRAIN
HSN: 39259090

OD Size (cm)	OD Size (mm)	Material Code	Pkg. (carton)	Price ₹ (per pc)
7.5	75	SDOBCD000000075	TBD	100.00

Reducer fittings are professionally assembled using SINTEX fittings and bushings. Quantity as per order.

Note: Fabricated reducer fittings are not eligible for return to the manufacturer. SDC - SOCKET, SPG - SPIGOT, THD - THREADED

*All the items where product code starts with 'A' are assembled items, # Shortly Introducing, * Manufactured as per IS Standard

Sintex

HotX

Hot and Cold Water System

MULTI LAYER COMPOSITE

Introducing **Sintex HotX PRO** Pipes & Fittings (PEXa-AL-PEXa)

MLCP (Multilayer Composite Pipes) are a high-performance, flexible piping solution made from multiple layers of materials. Typically, these pipes consist of an inner layer of cross-linked polyethylene (PEX), a middle layer of aluminum, and an outer layer of PEX or other thermoplastics. The aluminum layer acts as a barrier that prevents oxygen diffusion, which helps protect the system from corrosion and other degradation over time.



*T&C apply



Why Are We **NXT** Gen Choice?



FLEXIBILITY & EASE OF INSTALLATION

MLCP pipes are highly flexible, allowing easy bending and routing around corners without the need for additional fittings, making installation faster and more cost-effective.



LONG LASTING

The multiple-layer structure provides increased resistance to mechanical damage, UV degradation, and chemical exposure, ensuring long-lasting performance in both hot and cold water systems.



TEMPERATURE & PRESSURE RESISTANCE

MLCP pipes are designed to withstand both hot and cold water, with temperature resistance up to 95°C (203°F) and high-pressure ratings, which makes them suitable for a variety of domestic and industrial applications.



NON-TOXIC AND SAFE

Like CPVC, MLCP pipes are non-toxic and ensure the purity of the water supply, meeting international standards for potable water use.



OXYGEN BARRIER

The aluminum layer in MLCP pipes prevents oxygen from permeating the pipe, which is especially beneficial in heating systems, as it reduces the risk of corrosion and extends the life of the system.

Sintex

HotX

Hot and Cold Water System

MULTI LAYER COMPOSITE

Explore Our **NXT Gen** Pipes & Fittings

Where Can You Use **Sintex HotX PRO Pipes?**



Hot Water Systems

Ideal for domestic and commercial hot water supply, geysers, solar applications as they can handle higher temperatures and pressures with minimal expansion or contraction.



Refrigeration and Chilled Water Systems

The oxygen barrier in MLCP also makes it suitable for refrigeration and chilled water applications.



Cold Water Systems

Suitable for both residential and industrial cold water distribution.



Gas Supplies

It can be used for Gas Supplies as well.



Underfloor Heating Systems

MLCP is often used in underfloor heating systems due to its flexibility and resistance to high temperatures.

Sintex HotX Pro Products Range

Pipes

Fittings: Push -Fit, Easy to use and install.

Size (ODXt) (mm) Coil Length (M)

- 16X2 100
- 20X2 100
- 25X2.5 50
- 32X3.0 50

Sintex

Infraclex

HDPE

Introducing **Sintex HDPE Infracflex** Pipes & Fittings

At Sintex, we don't just build pipelines-we build lifelines for India's infrastructure. Water transport, irrigation, and industrial flow systems demand reliability, efficiency, and longevity. That's why we bring you Sintex HDPE InfracFlex Pipes, engineered to withstand extreme conditions while ensuring seamless performance. Designed for superior durability and flexibility, Sintex HDPE InfracFlex Pipes offer crack-resistant flexibility, making them ideal for underground and high-pressure applications. Their advanced leak-proof jointing through butt-fusion and electrofusion technology ensures zero water loss, providing a long-term, maintenance-free solution. From urban water supply to large-scale irrigation, Sintex HDPE InfracFlex Pipes set a new benchmark in high-performance piping, delivering strength, sustainability, and seamless fluid management for India's progress.



*T&C apply



Why Are We **NxT** Gen Choice?



**CORROSION
RESISTANCE**



**LEAKAGE
PROOF**



**LONG SERVICE
LIFE**



**DOES NOT SUPPORT
MICROBIOLOGICAL
GROWTH**



**LIGHT IN WEIGHT,
QUICK & EASY
TO INSTALL**



**HOMOGENEOUS JOINTS
WHICH ARE
100% LEAK PROOF**



**HIGH RESISTANCE TO
CHEMICALS,
U.V. RADIATION,
WEATHERING, IMPACT**



**STRONG RESISTANT TO
ACIDS AS WELL AS
ALKALIS & CAN BE LAID
IN MARSHY AND
CORROSIVE SOILS**



**LIGHT WEIGHT &
HIGH FLEXIBILITY**

Sintex

Infraclex

HDPE

Explore Our **NXT Gen** Pipes & Fittings

Where Can You Use Sintex HDPE Infraclex



Industrial & Mining

Disposal of Effluents, chemicals & treated/untreated water, As hydro transport system for handling & conveyance of iron, coal & cement slurry in mines. For conveyance of edible oil, fruit pulps, Juices, milks & other liquid food materials.



Water Supply

For potable water services, house service connections from Municipal water bodies.



Sewerage & Drainage



Irrigation



Electrical Ducting



Marine / Dredging



Natural gas distribution

Sintex HDPE Infraclex Products Range

Material :- H D P E (High Density Polyethylene)

Size Range :- 63mm to 400mm

Grade :- PE-63,

Pressure Rating :- PN-2, PN-2.5, PN-3.2, PN-4, PN-5, PN-6, PN-8 (118 Sizes involved)

Grade :- PE-80,

Pressure Rating :- PN-2.5, PN-3.2, PN-4, PN-5, PN-6, PN-8, PN-10, PN-10, PN12.5, PN-16, PN-20 (202 Sizes involved)

Grade :- PE-100

Pressure Rating :- PN-3.2, PN-4, PN-5, PN-6, PN-8, PN-10, PN12.5, PN-16, PN-20. (160 sizes involved)

Sintex

UltraX

OPVC

Introducing **Sintex UltraX OPVC** Pipes & Fittings

At Sintex, we believe in a responsibility that goes beyond just installation—it's about building a future that's stronger, safer, and more sustainable for India's communities.

With an unwavering commitment to quality and innovation, we are proud to introduce Sintex UltraX PVC-O Pipes, developed in partnership with global leaders Rollepaal.

Engineered for unmatched durability and performance, each pipe is:

100% hydro-tested at 50% higher than the rated pressure

100% lead-free, ensuring safety for you and the environment

Equipped with NSF-certified elastomeric composite rings for superior leak-proof sealing

When you choose Sintex UltraX PVC-O Pipes, you're not just choosing pipes—you're investing in a future of reliability, sustainability, and excellence.





Why Are We **NXT** Gen Choice?



**100% HYDRO TESTED
AT 50% MORE THAN
THE RATED PRESSURE**



**TREMENDOUS STRENGTH
TO WEIGHT RATIO**



**100% LEAD FREE
PIPES**



**INSERTION MARK
FOR JOINTS**



**USE OF RESTRAIN
RINGS & JOINTS FOR
HILLY/ROCKY AREAS**



**NSF CERTIFIED
ELASTOMERIC
COMPOSITE RINGS**



**LEAK DETECTION &
TRACEABILITY
SERVICES**

Sintex

UltraX

OPVC

Explore Our NXT Gen Pipes & Fittings

Where Can You Use Sintex UltraX OPVC



Potable Water Supply

PVC-O pipes are primarily suitable for high-pressure water distribution systems in residential and commercial buildings where water safety is a critical concern



Quick And Easy Installations

Food processing, pharmaceuticals and similar industries with stringent water safety regulations use PVC-O pipes



Irrigation System

Food safety regulations require using safe water in irrigating agricultural lands, where PVC-O pipes are the best choice.



Sewage & Drainage Network

These pipes ensure efficient and hygienic waste disposal, preventing the accumulation of sewage within the system.

Sintex UltraX PVC O Products Range

PVC O PIPE (ULTRAX) SDR 11 (100)						
DN	mm	mm	mm	mm	mm	kg/m
100	105.0	105.0	105.0	105.0	105.0	1.40
125	125.0	125.0	125.0	125.0	125.0	1.75
150	150.0	150.0	150.0	150.0	150.0	2.10
200	200.0	200.0	200.0	200.0	200.0	2.80
250	250.0	250.0	250.0	250.0	250.0	3.50
300	300.0	300.0	300.0	300.0	300.0	4.20
350	350.0	350.0	350.0	350.0	350.0	4.90
400	400.0	400.0	400.0	400.0	400.0	5.60
450	450.0	450.0	450.0	450.0	450.0	6.30
500	500.0	500.0	500.0	500.0	500.0	7.00
550	550.0	550.0	550.0	550.0	550.0	7.70
600	600.0	600.0	600.0	600.0	600.0	8.40
650	650.0	650.0	650.0	650.0	650.0	9.10
700	700.0	700.0	700.0	700.0	700.0	9.80
750	750.0	750.0	750.0	750.0	750.0	10.50
800	800.0	800.0	800.0	800.0	800.0	11.20
850	850.0	850.0	850.0	850.0	850.0	11.90
900	900.0	900.0	900.0	900.0	900.0	12.60
950	950.0	950.0	950.0	950.0	950.0	13.30
1000	1000.0	1000.0	1000.0	1000.0	1000.0	14.00
PVC O PIPE (ULTRAX) SDR 11 (150)						
DN	mm	mm	mm	mm	mm	kg/m
150	150.0	150.0	150.0	150.0	150.0	2.10
200	200.0	200.0	200.0	200.0	200.0	2.80
250	250.0	250.0	250.0	250.0	250.0	3.50
300	300.0	300.0	300.0	300.0	300.0	4.20
350	350.0	350.0	350.0	350.0	350.0	4.90
400	400.0	400.0	400.0	400.0	400.0	5.60
450	450.0	450.0	450.0	450.0	450.0	6.30
500	500.0	500.0	500.0	500.0	500.0	7.00
550	550.0	550.0	550.0	550.0	550.0	7.70
600	600.0	600.0	600.0	600.0	600.0	8.40
650	650.0	650.0	650.0	650.0	650.0	9.10
700	700.0	700.0	700.0	700.0	700.0	9.80
750	750.0	750.0	750.0	750.0	750.0	10.50
800	800.0	800.0	800.0	800.0	800.0	11.20
850	850.0	850.0	850.0	850.0	850.0	11.90
900	900.0	900.0	900.0	900.0	900.0	12.60
950	950.0	950.0	950.0	950.0	950.0	13.30
1000	1000.0	1000.0	1000.0	1000.0	1000.0	14.00
PVC O PIPE (ULTRAX) SDR 11 (200)						
DN	mm	mm	mm	mm	mm	kg/m
200	200.0	200.0	200.0	200.0	200.0	2.80
250	250.0	250.0	250.0	250.0	250.0	3.50
300	300.0	300.0	300.0	300.0	300.0	4.20
350	350.0	350.0	350.0	350.0	350.0	4.90
400	400.0	400.0	400.0	400.0	400.0	5.60
450	450.0	450.0	450.0	450.0	450.0	6.30
500	500.0	500.0	500.0	500.0	500.0	7.00
550	550.0	550.0	550.0	550.0	550.0	7.70
600	600.0	600.0	600.0	600.0	600.0	8.40
650	650.0	650.0	650.0	650.0	650.0	9.10
700	700.0	700.0	700.0	700.0	700.0	9.80
750	750.0	750.0	750.0	750.0	750.0	10.50
800	800.0	800.0	800.0	800.0	800.0	11.20
850	850.0	850.0	850.0	850.0	850.0	11.90
900	900.0	900.0	900.0	900.0	900.0	12.60
950	950.0	950.0	950.0	950.0	950.0	13.30
1000	1000.0	1000.0	1000.0	1000.0	1000.0	14.00
PVC O PIPE (ULTRAX) SDR 11 (250)						
DN	mm	mm	mm	mm	mm	kg/m
250	250.0	250.0	250.0	250.0	250.0	3.50
300	300.0	300.0	300.0	300.0	300.0	4.20
350	350.0	350.0	350.0	350.0	350.0	4.90
400	400.0	400.0	400.0	400.0	400.0	5.60
450	450.0	450.0	450.0	450.0	450.0	6.30
500	500.0	500.0	500.0	500.0	500.0	7.00
550	550.0	550.0	550.0	550.0	550.0	7.70
600	600.0	600.0	600.0	600.0	600.0	8.40
650	650.0	650.0	650.0	650.0	650.0	9.10
700	700.0	700.0	700.0	700.0	700.0	9.80
750	750.0	750.0	750.0	750.0	750.0	10.50
800	800.0	800.0	800.0	800.0	800.0	11.20
850	850.0	850.0	850.0	850.0	850.0	11.90
900	900.0	900.0	900.0	900.0	900.0	12.60
950	950.0	950.0	950.0	950.0	950.0	13.30
1000	1000.0	1000.0	1000.0	1000.0	1000.0	14.00
PVC O PIPE (ULTRAX) SDR 11 (300)						
DN	mm	mm	mm	mm	mm	kg/m
300	300.0	300.0	300.0	300.0	300.0	4.20
350	350.0	350.0	350.0	350.0	350.0	4.90
400	400.0	400.0	400.0	400.0	400.0	5.60
450	450.0	450.0	450.0	450.0	450.0	6.30
500	500.0	500.0	500.0	500.0	500.0	7.00
550	550.0	550.0	550.0	550.0	550.0	7.70
600	600.0	600.0	600.0	600.0	600.0	8.40
650	650.0	650.0	650.0	650.0	650.0	9.10
700	700.0	700.0	700.0	700.0	700.0	9.80
750	750.0	750.0	750.0	750.0	750.0	10.50
800	800.0	800.0	800.0	800.0	800.0	11.20
850	850.0	850.0	850.0	850.0	850.0	11.90
900	900.0	900.0	900.0	900.0	900.0	12.60
950	950.0	950.0	950.0	950.0	950.0	13.30
1000	1000.0	1000.0	1000.0	1000.0	1000.0	14.00





SCAN QR CODE
TO KNOW MORE

SINTEX-BAPL LIMITED

Toll Free No.: 1800-121-2764

www.sintexonline.com

Email: sintex_support@welspun.com

 **sintex_bapl_limited**

 **sintexBAPLLimited**

 **Sintex BAPL Limited**